Regulatory Peptides, 20 (1988) 363–365
Elsevier

Author index

Aakerlund, L., see O'Hare, M.M.T., 293
Ahlman, H., see Dahlstrand, C., 11
Aprahamian, M., see Damgé, C., 141
Atke, A., see Engstrøm, T., 65
Augood, S.J., Keast, J.R. and Emson, P.C.
Distribution and characterisation of neuromedin U-like immunoreactivity in rat brain and intestine and in guinea pig intestine, 281

Barbella, Y., see Israel, A., 25
Beding, B., see Håkanson, R., 99
Björck, S., see Dahlstrand, C., 11
Brazeau, P., see Deslauriers, N., 261
Brodin, E., see Edvinsson, L., 181
Brook, C.W., Sewell, R.B., Shulkes, A. and Smallwood, R.A.
Hepatic metabolism of vasoactive intestinal polypeptide (VIP) in the rat, 311
Brown, B.L., see Dobson, P.R.M., 305

Changaris, D.G., Porter, J.L., Miller, J.J. and Levy, R.S.
Des-Leu angiotensin I: biosynthesis and drinking response, 273
Chesselet, M.-F. and Hook, V.Y.H.
Carboxypeptidase H-like immunoreactivity in the striatum of cats and monkeys, 151
Christophe, J., see Sundler, F., 83
Chu, J.-Y., see Håkanson, R., 99
Conlon, J.M., Katsoulis, S., Schmidt W.E. and Thim, L.
[Arg^3]substance P and neurokinin A from chicken small intestine, 171
Conlon, J.M., Schwartz, T.W. and Rehfeld, J.F.
Sulphated CCK-8-like peptides in the neural ganglion of the protochordate *Ciona intestinalis*, 241
Cooper, C.W., see Ishizuka, J., 73

Dahlstrand, C., Björck, S., Edin, R., Dahlström, A. and Ahlman, H.
Substance P in the control of extrahepatic biliary motility in the cat, 11
Dahlström, A., see Dahlstrand, C., 11
Damgé, C., Hajri, A., Lhoste, E. and Aprahamian, M.
Comparative effect of chronic bombesin, gastrin-releasing peptide and caerulein on the rat pancreas, 141
Darvodelsky, A.M., Davey, M.W., Reid, A.M., Titchen, D.A. and Wang, X.
Immunochemical characterisation of somatostatin in ruminants, 161
Davey, M.W., see Darvodelsky, A.M., 161
Davson, H., see Zlokovic, B.V., 33
Deslauriers, N., Gaudreau, P. and Brazeau, P.
Long-term maintenance of growth hormone secretion in perifused rat anterior pituitary cells, 261
Dimaline, R. and Vowles, L.
Alternative processing pathways for preprovasoactive intestinal peptide in the enteric nervous system of the rat, 199
Dobson, P.R.M. and Brown, B.L.
Involvement of the hypothalamus in opiate-stimulated prolactin secretion, 305
Drebes, E., see Koch, G., 107

Edin, R., see Dahlstrand, C., 11
Edvinsson, L., Brodin, E., Jansen, I. and Uddman, R.
Neurokinin A in cerebral vessels: characterization, localization and effects in vitro, 181
Ekblad, E., see Stjernquist, M., 335
Emson, P.C., see Augood, S.J., 281
Engstrøm, T., Atke, A. and Vilhardt, H.
Oxytocin receptors and contractile response of the myometrium after long term infusion of prostaglandin $F_{2\alpha}$, indomethacin, oxytocin and an oxytocin antagonist in rats, 65

Fenger, M.
Pro-opiomelanocortin-derived peptides in the pig pituitary: α-and γ_1-melanocyte-stimulating hormones and their glycine-extended forms, 345
Fischer, J.A., see Martling, C.-R., 125
Folkers, K., see Håkanson, R., 99
Frandsen, E.K.
Receptor binding of pancreatic spasmolytic polypeptide in intestinal mucosal cells and membranes, 45

Gaudreau, P., see Deslauriers, N., 261
Greeley Jr., G.H., see Ishizuka, J., 73
Grunditz, T., see Sundler, F., 83

Hajri, A., see Damgé, C., 141
Heywood, L.H., see Reid, A.M., 211
Hilsted, L., see O'Hare, M.M.T., 293

Hook, V.Y.H., see Chesselet, M.-F., 151
Håkanson, R., Beding, B., Ljungqvist, A., Chu, J.-Y., Leander, S., Trojnar, J. and Folkers, K.
Blockade of sensory nerve mediated contraction of the rabbit iris sphincter by a series of novel tachykinin antagonists, 99
Håkanson, R., see Sundler, F., 83
Hökfelt, T., see Martling, C.-R., 125

Ishizuka, J., Greeley Jr., G.H., Cooper, C.W. and Thompson, J.C.
Effect of calcitonin gene-related peptide on glucose and gastric inhibitory polypeptide-stimulated insulin release from cultured newborn and adult rat islet cells, 73
Israel, A. and Barbella, Y.
Effects of adrenalectomy and aldosterone on the action of centrally administered rat atrial natriuretic peptide-(99–126), 25

Jansen, I., see Edvinsson, L., 181
Johnsen, A., see O'Hare, M.M.T., 293

Katsoulis, S., see Conlon, J.M., 171
Keast, J.R., see Augood, S.J., 281
Koch, G., Wiedemann, K., Drebes, E., Zimmermann, W., Link, G. and Teschemacher, H.
Human β-casomorphin-8 immunoreactive material in the plasma of women during pregnancy and after delivery, 107

Lamote, J. and Willems, G.
Stimulating effect of pentagastrin on cancer cell proliferation kinetics in chemically induced colon cancer in rats, 1
Leander, S., see Håkanson, R., 99
Lehy, T., see Puccio, F., 53
Levy, R.S., see Changaris, D.G., 273
Lhoste, E., see Damgé, C., 141
Link, G., see Koch, G., 107
Ljungqvist, A., see Håkanson, R., 99
Lundberg, J.M., see Martling, C.-R., 125

Marker, J.D. and Roberts, M.L.
Chronotropic actions of cholecystokinin octapeptide on the rat heart, 251
Martling, C.-R., Saria, A., Fischer, J.A., Hökfelt, T. and Lundberg, J.M.
Calcitonin gene-related peptide and the lung: neuronal coexistence with substance P, release by capsaicin and vasodilatory effect, 125
Miller, J.J., see Changaris, D.G., 273
Mitrovic, D.M., see Zlokovic, B.V., 33
Mogensen, N., Saermark, T. and Vilhardt, H.
Endocytosis of the vasopressin receptor by anterior pituitary cells is increased by corticotropin-releasing factor (CRF), 223

O'Hare, M.M.T., Tenmoku, S., Aakerlund, L., Hilsted, L., Johnsen, A. and Schwartz, T.W.
Neuropeptide-Y in guinea pig, rabbit, rat and man. Identical amino acid sequence and oxidation of methionine-17, 293
Owman, Ch., see Stjernquist, M., 335

Porter, J.L., see Changaris, D.G., 273
Puccio, F. and Lehy, T.
Oral administration of epidermal growth factor in suckling rats stimulates cell DNA synthesis in fundic and antral gastric mucosae as well as in intestinal mucosa and pancreas, 53

Rehfeld, J.F., see Conlon, J.M., 241
Reid, A.M. and Heywood, L.H.
A comparison of the effects of vasoactive intestinal polypeptide on secretion from the submaxillary gland of the sheep and pig, 211
Reid, A.M., see Darvodelsky, A.M., 161
Robberecht, P., see Sundler, F., 83
Roberts, M.L., see Marker, J.D., 251

Saermark, T., see Mogensen, N., 223
Sandvik, A.K. and Waldum, H.L.
The effect of somatostatin on baseline and stimulated acid secretion and vascular histamine release from the totally isolated vascularly perfused rat stomach, 233
Saria, A., see Martling, C.-R., 125
Schmidt, W.E., see Conlon, J.M., 171
Schwartz, T.W., see Conlon, J.M., 241
Schwartz, T.W., see O'Hare, M.M.T., 293
Sedlmeier, D.
The crustacean hyperglycemic hormone (CHH) releases amylase from the crayfish midgut gland, 91
Segal, M.B., see Zlokovic, B.V., 33
Sewell, R.B., see Brook, C.W., 311
Shulkes, A., see Brook, C.W., 311
Sleeman, M., see Willis, G.L., 119
Smallwood, R.A., see Brook, C.W., 311
Smith, G.C., see Willis, G.L., 119
Stjernquist, M., Ekblad, E., Owman, Ch. and Sundler, F.
Immunocytochemical localization of galanin in the rat male and female genital tracts and motor effects in vitro, 335
Sundler, F., Christophe, J., Robberecht, P., Yan-

aihara, N., Yanaihara, C., Grunditz, T. and Håkanson, R.
Is helodermin produced by medullary thyroid carcinoma cells and normal C-cells? Immunocytochemical evidence, 83
Sundler, F., see Stjernquist, M., 335

Tenmoku, S., see O'Hare, M.M.T., 293
Teschemacher, H., see Koch, G., 107
Thim, L., see Conlon, J.M., 171
Thompson, J.C., see Ishizuka, J., 73
Titchen, D.A., see Darvodelsky, A.M., 161
Trojnar, J., see Håkanson, R., 99

Uddman, R., see Edvinson, L., 181

Vilhardt, H., see Engstrøm, T., 65
Vilhardt, H., see Mogensen, N., 223
Vowles, L., see Dimaline, R., 199

Waldum, H.L., see Sandvik, A.K., 233
Wang, X., see Darvodelsky, A.M., 161
Wiedemann, K., see Koch, G., 107
Wiik, P.
Homologous regulation of adenylate cyclase-coupled receptors for vasoactive intestinal peptide (VIP) on human mononuclear leucocytes, 323
Willems, G., see Lamote, J., 1
Willis, G.L., Sleeman, M. and Smith, G.C.
Facilitation of cancer-associated anorexia by cholecystokinin, 119

Yanaihara, C., see Sundler, F., 83
Yanaihara, N., see Sundler, F., 83

Zimmermann, W., see Koch, G., 107
Zlokovic, B.V., Segal, M.B., Davson, H. and Mitrovic, D.M.
Unidirectional uptake of enkephalins at the blood–tissue interface of the blood–cerebrospinal fluid barrier: a saturable mechanism, 33

Regulatory Peptides, 20 (1988) 366-370
Elsevier

Keyword index

Adenocarcinoma, 1,2-Dimethylhydrazine, DNA synthesis, Metaphase, 1

Adenohypophysis, Opiate agonist, Naloxone, Prolactin, Hypothalamus, 305

Adrenalectomy, Atrial natriuretic factor, Brain, Aldosterone, 25

Adrenocorticotropic hormone-(1–14), α-Melanocyte-stimulating hormone, γ_1-Melanocyte-stimulating hormone, γ_2-Melanocyte stimulating hormone, 345

Aldosterone, Atrial natriuretic factor, Brain, Adrenalectomy, 25

Amylase release, Cyclic nucleotide, Ca^{2+}, Crustacean hyperglycemic hormone, 91

Angiotensin-related carboxypeptidase, Renin, Carboxypeptidase, Drinking, Neurotensin, Nonapeptide, 273

Anorexia cachexia, Cancer, Cholecystokinin, Satiety, Orexigenic drug, 119

Atrial natriuretic factor, Brain, Aldosterone, Adrenalectomy, 25

Axon reflex, Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Ocular injury, 99

Biliary tract, Substance P, Vagal nerve, Motor control, Cholinoreceptor, Cat, 11

Biosynthetic processing, Enteric neuron, Vasoactive intestinal peptide, Radioimmunoassay, Flanking peptide, 199

Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Growth, Rat, 141

Bradycardia, CCK-8, Receptor, Isolated heart, 251

Brain, Atrial natriuretic factor, Aldosterone, Adrenalectomy, 25

Bronchoconstriction, Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Vasodilatation, Sensory nerve, 125

Ca^{2+}, Amylase release, Cyclic nucleotide, Crustacean hyperglycemic hormone, 91

Caerulein, Bombesin, Gastrin-releasing peptide (GRP), Pancreas, Growth, Rat, 141

Calcitonin, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, 83

Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Bronchoconstriction, Vasodilatation, Sensory nerve, 125

Calcitonin gene-related peptide, Neurokinin A, Substance P, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181

Cancer, Anorexia cachexia, Cholecystokinin, Satiety, Orexigenic drug, 119

Carboxypeptidase, Renin, Drinking, Neurotensin, Nonapeptide, Angiotensin-related carboxypeptidase, 273

Cat, Substance P, Vagal nerve, Motor control, Cholinoreceptor, Biliary tract, 11

Caudate nucleus, Prohormone processing, Peptidase, Neuropeptide, Substance P, Enkephalin, 151

β-Cell, Somatostatin, 73

C-cell, Neurohormonal peptide, Peptide hormone, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83

CCK-8, Receptor, Isolated heart, Bradycardia, 251

Chicken gut, Tachykinin, Primary structure, HPLC, Radioimmunoassay, 171

Cholecystokinin, Anorexia cachexia, Cancer, Satiety, Orexigenic drug, 119

Cholecystokinin (CCK), Gastrin, Neural ganglion, Protchordate, Sequence-specific radioimmunoassay, 241

Cholinoreceptor, Substance P, Vagal nerve, Motor control, Biliary tract, Cat, 11

Choroid plexus, Leu-enkephalin, D-Ala^5-D-Leu^5-enkephalin, Single-passage paired tracer dilution, Sheep, 33

Contractile responsiveness, Rat myometrium, Oxytocin receptor, Prostaglandin, Receptor down-regulation, 65

Corticotropin-releasing factor, Vasopressin, Receptor endocytosis, 223

Crustacean hyperglycemic hormone, Amylase release, Cyclic nucleotide, Ca^{2+}, 91

Cyclic AMP accumulation, Leucocyte, VIP-receptor, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323

Cyclic nucleotide, Amylase release, Ca^{2+}, Crustacean hyperglycemic hormone, 91

D-Ala^2-D-Leu^5-enkephalin, Leu-enkephalin, Single-passage paired tracer dilution, Choroid plexus, Sheep, 33

Development, Histoautoradiography, Mucosal growth, Progenitor cell DNA synthesis, Trophic effect, 53

1,2-Dimethylhydrazine, Adenocarcinoma, DNA synthesis, Methaphase, 1
DNA synthesis, 1,2-Dimethylhydrazine, Adenocarcinoma, Metaphase, 1
Down-regulation, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, 323
Drinking, Renin, Carboxypeptidase, Neurotensin, Nonapeptide, Angiotensin-related carboxypeptidase, 273

Endocrine regulation of pregnancy, Human β-casein, Human β-casomorphin, Opioid peptide, Mammalian reproduction, Milk secretion, 107
Endocrine tumor, Neurohormonal peptide, Peptide hormone, C-cell, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
Enkephalin, Prohormone processing, Peptidase, Neuropeptide, Substance P, Caudate nucleus, 151
Enteric neuron, Biosynthetic processing, Vasoactive intestinal peptide, Radioimmunoassay, Flanking peptide, 199
Enteric nervous system, Immunohistochemistry, Neuromedin, Radioimmunoassay, High-performance liquid chromatography, 281

Flanking peptide, Biosynthetic processing, Enteric neuron, Vasoactive intestinal peptide, Radioimmunoassay, 199

Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
Gastric acid, Somatostatin, Histamine, Gastrin, 233
Gastrin, Cholecystokinin (CCK), Neural ganglion, Protochordate, Sequence-specific radioimmunoassay, 241
Gastrin, Somatostatin, Histamine, Gastric acid, 233
Gastrin-releasing peptide (GRP), Bombesin, Caerulein, Pancreas, Growth, Rat, 141
Growth, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Rat, 141
Guinea pig, Neuropeptide Y, Rabbit, Man, Rat, 293

Helodermin, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Calcitonin, 83
High-performance liquid chromatography, Immunohistochemistry, Neuromedin, Enteric nervous system, Radioimmunoassay, 281
Histamine, Somatostatin, Gastric acid, Gastrin, 233
Histoautoradiography, Mucosal growth, Progenitor cell DNA synthesis, Trophic effect, Development, 53
HPLC, Tachykinin, Chicken gut, Primary structure, Radioimmunoassay, 171
Human β-casein, Human β-casomorphin, Opioid peptide, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
Human β-casomorphin, Human β-casein, Opioid peptide, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
Hypothalamus, Opiate agonist, Naloxone, Adenohypophysis, Prolactin, 305

Immunocytochemistry, Neurokinin A, Substance P, Calcitonin gene-related peptide, Radioimmunoassay, In vitro pharmacology, 181
Immunocytochemistry, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, In vitro pharmacology, 335
Immunohistochemistry, Neuromedin, Enteric nervous system, Radioimmunoassay, High-performance liquid chromatography, 281
In vitro pharmacology, Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, 181
In vitro pharmacology, Galanin, Neuropeptide, Male and female genital tracts, uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, 335
Iris sphincter, Tachykinin, Tachykinin antagonist, Sensory nerve, Axon reflex, Ocular injury, 99
Isolated heart, CCK-8, Receptor, Bradycardia, 251

Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323
Leu-enkephalin, D-Ala^2-D-Leu^5-enkephalin, Single-passage paired tracer dilution, Choroid plexus, Sheep, 33
Long-term primary cell culture, Rat growth hormone-releasing factor-(1–43) acid, 261

Male and female genital tracts, Galanin, Neuropeptide, Uterus, Vas deferens, Seminal vesi-

cle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
Mammalian reproduction, Human β-casein, Human β-casomorphin, Opioid peptide, Milk secretion, Endocrine regulation of pregnancy, 107
Man, Neuropeptide Y, Guinea pig, Rabbit, Rat, 293
Medullary thyroid carcinoma, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, helodermin, Calcitonin, 83
α-Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1–14), γ_1-Melanocyte-stimulating hormone, γ_2-Melanocyte stimulating hormone, 345
γ_1-Melanocyte-stimulating hormone, α-Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1–14), γ_1-Melanocyte stimulating hormone, 345
γ_2-Melanocyte stimulating hormone, α-Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1–14), dγ_1-Melanocyte-stimulating hormone, 345
Methaphase, 1,2-Dimethylhydrazine, Adenocarcinoma, DNA synthesis, 1
Milk secretion, Human β-casein, Human β-casomorphin, Opioid peptide, Mammalian reproduction, Endocrine regulation of pregnancy, 107
Motor control, Substance P, Vagal nerve, Cholinoreceptor, Biliary tract, Cat, 11
Mucosal growth, Histoautoradiography, Progenitor cell DNA synthesis, Trophic effect, Development, 53

Naloxone, Opiate agonist, Adenohypophysis, Prolactin, Hypothalamus, 305
Neural ganglion, Cholecystokinin (CCK), Gastrin, Protochordate, Sequence-specific radioimmunoassay, 241
Neural mechanism, Salivary gland, Vasoactive intestinal polypeptide, 211
Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
Neurokinin A, Calcitonin gene-related peptide (CGRP), Substance P, Bronchoconstriction, Vasodilatation, Sensory nerve, 125
Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181
Neuromedin, Immunohistochemistry, Enteric nervous system, Radioimmunoassay, High-performance liquid chromatography, 281
Neuropeptide, Prohormone processing, Peptidase, Substance P, Enkephalin, Caudate nucleus, 151
Neuropeptide Y, Guinea pig, Rabbit, Man, Rat, 293
Neuropeptide, Galanin, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
Neurotensin, Renin, Carboxypeptidase, Drinking, Nonapeptide, Angiotensin-related carboxypeptidase, 273
Nonapeptide, Renin, Carboxypeptidase, Drinking, Neurotensin, Angiotensin-related carboxypeptidase, 273

Ocular injury, Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Axon reflex, 99
Opiate agonist, Naloxone, Adenohypophysis, Prolactin, Hypothalamus, 305
Opioid peptide, Human β-casein, Human β-casomorphin, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
Orexigenic drug, Anorexia cachexia, Cancer, Cholecystokinin, Satiety, 119
Oxytocin receptor, Rat myometrium, Contractile responsiveness, Prostaglandin, Receptor down-regulation, 65

Pancreas, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Growth, Rat, 141
Pancreatic spasmolytic polypeptide (PSP), Rat intestinal mucosa, Receptor binding, 45
Peptidase, Prohormone processing, Neuropeptide, Substance P, Enkephalin, Caudate nucleus, 151
Peptide hormone, Neurohormonal peptide, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
Perfusion, Vasoactive intestinal polypeptide, Rat liver, 311
PHM-27, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), Secretin, Down-regulation, 323
Primary structure, Tachykinin, Chicken gut, HPLC, Radioimmunoassay, 171
Progenitor cell DNA synthesis, Histoautoradiography, Mucosal growth, Trophic effect, Development, 53
Prohormone processing, Peptidase, Neuropeptide, Substance P, Enkephalin, Caudate nucleus, 151

Prolactin, Opiate agonist, Naloxone, Adenohypophysis, Hypothalamus, 305
Prostaglandin, Rat myometrium, Oxytocin receptor, Contractile responsiveness, Receptor down-regulation, 65
Protochordate, Cholecystokinin (CCK), Gastrin, Neural ganglion, Sequence-specific radioimmunoassay, 241

Rabbit, Neuropeptide Y, Guinea pig, Man, Rat, 293
Radioimmunassay, Somatostatin, Tissue and plasma concentrations, 161
Radioimmunoassay, Tachykinin, Chicken gut, Primary structure, HPLC, 171
Radioimmunoassay, Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, In vitro pharmacology, 181
Radioimmunoassay, Biosynthetic processing, Enteric neuron, Vasoactive intestinal peptide, Flanking peptide, 199
Radioimmunoassay, Immunohistochemistry, Neuromedin, Enteric nervous system, High-performance liquid chromatography, 281
Rat growth hormone-releasing factor-(1–43) acid, Long-term primary cell culture, 261
Rat intestinal mucosa, Pancreatic spasmolytic polypeptide (PSP), Receptor binding, 45
Rat liver, Vasoactive intestinal polypeptide, Perfusion, 311
Rat myometrium, Oxytocin receptor, Contractile responsiveness, Prostaglandin, Receptor down-regulation, 65
Rat, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Growth, 141
Rat, Neuropeptide Y, Guinea pig, Rabbit, Man, 293
Receptor binding, Pancreatic spasmolytic polypeptide (PSP), Rat intestinal mucosa, 45
Receptor down-regulation, Rat myometrium, Oxytocin receptor, Contractile responsiveness, Prostaglandin, 65
Receptor endocytosis, Corticotropin-releasing factor, Vasopressin, 223
Receptor, CCK-8, Isolated heart, Bradycardia, 251
Renin, Carboxypeptidase, Drinking, Neurotensin, Nonapeptide, Angiotensin-related carboxypeptidase, 273

Salivary gland, Neural mechanism, Vasoactive intestinal polypeptide, 211
Satiety, Anorexia cachexia, Cancer, Cholecystokinin, Orexigenic drug, 119
Secretin, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Down-regulation, 323
Seminal vesicle, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
Sensory nerve, Tachykinin, Tachykinin antagonist, Iris sphincter, Axon reflex, Ocular injury, 99
Sensory nerve, Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Bronchoconstriction, Vasodilatation, 125
Sequence-specific radioimmunoassay, Cholecystokinin (CCK), Gastrin, Neural ganglion, Protchordate, 241
Sheep, Leu-enkephalin, D-Ala^2-D-Leu^5-enkephalin, Single-passage paired tracer dilution, Choroid plexus, 33
Single-passage paired tracer dilution, Leu-enkephalin, D-Ala^2-D-Leu^5-enkephalin, Choroid plexus, Sheep, 33
Smooth muscle, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Immunocytochemistry, In vitro pharmacology, 335
Somatostatin, β-Cell, 73
Somatostatin, Radioimmunoassay, Tissue and plasma concentrations, 161
Somatostatin, Histamine, Gastric acid, Gastrin, 233
Substance P, Vagal nerve, Motor control, Cholinoreceptor, Biliary tract, Cat, 11
Substance P, Calcitonin gene-related peptide (CGRP), Neurokinin A, Bronchoconstriction, Vasodilatation, Sensory nerve, 125
Substance P, Prohormone processing, Peptidase, Neuropeptide, Enkephalin, Caudate nucleus, 151
Substance P, Neurokinin A, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181

Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Axon reflex, Ocular injury, 99
Tachykinin antagonist, Tachykinin, Iris sphincter, Sensory nerve, Axon reflex, Ocular injury, 99
Tachykinin, Chicken gut, Primary structure, HPLC, Radioimmunoassay, 171
Tissue and plasma concentrations, Somatostatin, Radioimmunoassay, 161
Trophic effect,. Histoautoradiography, Mucosal

growth, Progenitor cell DNA synthesis, Development, 53

Uterus, Galanin, Neuropeptide, Male and female genital tracts, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335

Vagal nerve, Substance P, Motor control, Cholinoreceptor, Biliary tract, Cat, 11

Vas deferens, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335

Vasoactive intestinal peptide, Biosynthetic processing, Enteric neuron, Radioimmunoassay, Flanking peptide, 199

Vasoactive intestinal polypeptide, Neural mechanism, Salivary gland, 211

Vasoactive intestinal polypeptide, Rat liver, Perfusion, 311

Vasoactive intestinal peptide (VIP), Leucocyte, VIP-receptor, Cyclic AMP accumulation, PHM-27, Secretin, Down-regulation, 323

Vasodilatation, Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Bronchoconstriction, Sensory nerve, 125

Vasopressin, Corticotropin-releasing factor, Receptor endocytosis, 223

VIP-receptor, Leucocyte, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323